OFFICE OF THE PRINCIPAL I/C-CUM-SECRETARY,

OFFICE MAHAVIDYALAYA, RADHO, MAYURBHANJ

Mob.No:7978993751, 9937250508 Email Id: luipadegreemahavidyalayaradho@gmail.com

### **QUOTATION CALL NOTICE**

No. & DMR /85/2125

MAHAVIO

Date. 10:5.2025

The office of the Principal I/c-cum-Secretary, Luipa Degree Mahavidyalaya, Radho, Mayurbhanj invites Sealed Quotation from Intending reputed Suppliers/Authorised Dealers/Firms/Register Entities having valid GST registration and PAN/TIN for supply of Computers and IT related materials for the upgrading of IT Infrastructure in the college. The Quotation complete in all respect adhering to the following terms and conditions should be received in this office on or before Date. 20.05.2025 (3.00 PM). The undersigned reserves the right to accept or reject any or all quotations without assigning any reason thereof.

The cost of the supplied articles shall be paid only after delivery in the office as per specification. The undersigned has all rights to cancel this quotation without any prior notice to the suppliers. The quotations shall be received through Registered Post/Speed Post/Courier etc. addressing to the Principal I/c-cum-Secretary, Luipa Degree Mahavidyalaya, Radho, Mayurbhanj on or before 20.05.2025 by 3.00 PM and will be opened on 21.05.2025 at 10.00 PM in the office chamber of the undersigned. Further order will be placed and the supplier should supply quoted articles within 5(Five) days in this office form the date of supply order. Since provisions of the quoted items are to be completed in a time bound manner, failure to deliver of the items in the prescribed time frame will lead to cancellation of the supply order.

The following terms and conditions should be strictly adhered to:

- The sealed quotations(s) should be sent through Registered/Speed Post/Courier/Special Messenger so as to reach this office on or before 20.05.2025 by 3.00 PM. Sealed quotation(s) received after the closing date and time will not be entertained. And this office will not be responsible for them.
   Quotation(s) through fax/e-mail will not be entertained.
- 2. The envelope containing the quotation should be properly sealed (preferably wax/ Cello tape seal). If the envelope containing the quotation is not sealed and marked as above, the Purchaser will assume no responsibility for its misplacement or premature opening.

- 3. The above quotation(s) will be opened on scheduled date, time and venue. The interested Vendor(s) or their authorised agents shall remain present during opening of quotations with appropriate samples which will be provided at their own expenses. Nobody will be allowed to participate in the opening of Sealed Quotations without authorisation. In exigency the quotation will also be opened in the presence of two third majority of representative of the quotationers.
- 4. If the above stated opening or closing date(s) happen to be Govt. Holiday(s)/bandh, the submission/opening of the Sealed Quotation will be on the next working day as per the time scheduled.
- 5. The quality will be decided after verification of the sample and order will be placed to the lowest bidder. Principal I/c-cum-Secretary, Luipa Degree Mahavidyalaya, Radho, Mayurbhanj has the right to order or not to order for supply. Decision of the Principal I/c-cum-Secretary, Luipa Degree Mahavidyalaya, Radho, Mayurbhanj will be final and binding on all vendors/bidders.
- 6. The payment will be made after successful delivery of items/articles in specific manner. No advance payment can be made for supply of the above items.
- 7. The quoted rate must be inclusive of all taxes (CGST, SGST, IGST & other taxes as applicable and fees (including transportation, installation/any other).
- 8. The quotation must be attached the valid GSTIN certificate. Incomplete quotations paper shall not be entertained by the committee.
- 9. Proper GST Bills along with details of Bank A/C for payment.
- 10. Defective materials, if any, shall be replaced without added cost by the supplier within 07(Seven) working days of receipt of the Material.

### 11. Opening and Evaluation of Bids

- i. The Purchaser will open all Bids in the presence of Purchase Committee members and Bidders' representatives who choose to attend, as per the schedule given in bid details. The Bidders' representatives who are present shall sign the quotation opening sheet evidencing their attendance.
- ii. During evaluation of bids, the Purchaser may, at its discretion, ask the bidder for a clarification of its bid. The request for clarification and response shall be in writing and no change in prices or substances of the bid shall be sought, offered or permitted. However, no negotiation shall be held except with the lowest bidder.

- iii. Preliminary Examination: The Purchaser will examine the bids to determine whether they are complete, whether the documents have been properly signed, and whether the bids are generally in order.
- iv. If a bid is not substantially responsive, it will be rejected by the Purchaser and may not subsequently be made responsive by the Bidder by correction of the non-conformity.

Principal I/c-cum-Secretary LuipaiDegree/Mahavidyalaya

Luipa Degree Mahayidyalaya, Radho, Mayuebhahi Radho, Wayurbhanj

Memo No. 95 MR /85 (a) /25 Dated. 10, 5, 2025

Copy submitted to the President, G.B-cum-Sub-Collector, Kaptipada , Udala

for favour of kind information and necessary action.

Principal I/c-cum-Secretary Luipa Degree Mahavidyalaya

Radho, Mayuebhanj Principal I/c-cum-Secretary Luipa Degree Mahavidyalaya, Radho, Mayurbhani

# Quantities and Specifications of IT items to be purchased

Sl.No	Non-Govt. Aided Colleges	Nos of College	Amount to be released (in lakhs)	Detail calculation	Total Amount (in lakhs)
7	No of No Govt. Aided Colleges having student's strength more than 750	199	8	1.I3 and above Desktop @50000*12=6 Lakh 2. UPS@3000*12=36000 lakh 3. MFM Printer@30000 *2=60000 4.1 LED Tv (65 inch) @0.70= 70000 5. Wireless mice &Camera for Virtual meeting = 25000 6. Internet Facility:-20,000/- Total=8.11 Lakh	1592
2	No of Non-Govt. Aided Colleges having student's strength less than 750	449	4.5	1.13 and above Desktop @50000*6=3.0 Lakh 2. UPS@3000*6=18000 t 3. MFM Printer@30000*2=0.60 Lakh 4.1 LED Tv(65 inch)@70000=.70 Lakh 5.Wire less Mice & Camera with MIC for Virtual meeting = 25000 6. Internet facility=20000 Total=4.93 Lakh	2020.5
	,	648			3612.5

Desktop	Specification	7
· · · · ·		•

	ppecification	
Items	Specification	
Cabinet Form Factor	Tower/Micro Tower (15.1 to 26 Litres)	
Chipset Number	Intel H670/Intel® H770 or higher Chipset	
Processor Make	Intel	
Processor	x86 64-bit architecture	
Processor Generation	13 Or higher	
Processor Description	Intel Core i3 or higher	
Processor Number	Intel Core i3 13100 or higher	
Number of Cores and Threads per Processor	Max Turbo Frequency 4.5Ghz, Minimum 4 Cores and 8 Threads or higher	
Operating System	Windows 11 Home Factory Preloaded	
RAM Size (GB)	DDR-4 8GB 3200 (16 X1) or higher (2 DIIM Slots)	
RAM Expandability up to (using spare DIMM Slots in GB)	64 GB or higher	
Integrated Graphics	Intel UHD Graphics 770 or higher	
Supported for discrete NVIDIA/AMD Graphics Card up to 6GB	Yes	
Type of Drives used to populate the Internal Bays	NVMe SSD	
Total HDD Capacity (GB)	NA	
Total SSD Capacity (GB)	512GB NVMe SSD	
Optical Drive .	Optional	
Drive Bays	Two 3.5" (2.5") HDD	
Slots for Upgradation	1 PCI Express 4.0 x16, 1 PCI Express 3.0 x1, 1 PCI (full Height), 2 M.2 slots for WLAN & SSD	
LAN	LAN: Integrated 10/100/1000M	
Ports and Connectors	Front: 1 headphone/microphone combo; 3 Super Speed USB 5Gbps signalling rate; 2 SuperSpeed USB 10 Gbps signalling rate; 1 USB Type-C, total 6nos USB in front for easy access Rear: 1 HDMI; 1 Serial Port; 1 line in; 1 line out; 1 power connector; 1 RJ-45; 1 DP; 2 USB 2.0	
Firmware Trusted Platform Module	TPM 2.0	
Hardware Security lock slot	Security lock slot	
Power Supply	180-260Watt Internal power supply with minimum 90% efficiency	
	Bidder should submit OEM bid specific authorization & the same authorization may be verified by the respective OEM if required.  OEM must have the ISO 9001,14001, ISO 20001, ISO 27001	
Certification	Certificate  Microsoft Windows, Energy star 8.0 certified  Bidder should submit BIS, BEE, EPEAT, UL, RoHS Certificate of products at the time of participation of the Bid.	
Keyboard Mouse	USB Keyboard; USB Optical Mouse	
Monitor	19.5" LED Display with CTO Certified and same must be belongs to the same OEM	
Years of Warranty	3 Year Onsite Warranty	

The state of the s	Interactive UPS Specifications  General Specifications		
	The state of the s		
UPS Capacity (total)	600VA/360W		
Input Voltage	230 VAC nominal		
Input Frequency	45 - 65 Hz		
Brownout Transfer	145 VAC typical		
Over-voltage Transfer	290 VAC typical		
Voltage on Battery	230 VAC typical (stepped approximated sine wave)		
(requency - On Battery	SOHz typical		
Transfer Time	@50 Hz : 6 ms typical, 10 ms max		
Air Ventilation	Should have Side and Back Honey bee Perforation for hea dispersion		
for Dust and Humidity			
Battery Saver Option	UPS Should have Battery Saver Option to increase the life of the Battery upto 5 years		
No Load Shutdown	UPS Should work on loads of 2-3 watts also		
AC Surge Protection	Full time, 160 joules		
Automatic Re start of UPS	In case the UPS backup is totally drained and autom switched off, when the grid power resumes the UPS Shows and Start without human interference.		
Type (maintenance-free)	12V, 7.2 Ah		
	4-6 hours		
	0°C to 40°C		
Storage Temperature	-15°C to 45°C		
3 power outlets	With battery backup and surge protection		
Power Cord	1.2 meters		
Runtime for Single PC load (60W ± 15W)	27 min (normal mode)		
Sattery Saver (to save on battery life)	Thru toggle button on front panel		
ertification	BIS		
,ertinestion			
	UPS Capacity (total) Input Voltage Input Frequency Brownout Transfer Over-voltage Transfer Voltage on Battery  Frequency - On Battery Transfer Time Air Ventilation  Protection from Humidity & Dust  Battery Saver Option No Load Shutdown AC Surge Protection Automatic Re start of UPS  Type (maintenance-free) Typical recharge time Operating Temperature Storage Temperature Storage Temperature 3 power outlets Power Cord Runtime for Single PC load (60W ± 15W) Buttery Saver (to save on battery life)		

	Generic
Description of Stores	Multifunction Machine Printer with Minimum 1 Year On Site Warranty, including Cartridge and Power Cord/Adapter
Core Function	Print, Scan and Copy
Print Technology	Laser
Cartridge Technology	Composite Cartridge
Type of Printing	Monochrome (Black)
RAM Size (MB)	256
Storage Capacity (in GB)	0
Features	Fax
Operating System Compatibility	Windows 10 and Above, Linux, Mac OS, Windows Server
	Printing
Print Paper Size	A4 and Legal
Minimum Print Speed per Minute as per ISO/IEC 24734 in A4 Size-Monochrome (Black) (in PPM)	26 to 30
Minimum Print Speed per Minute as per ISO/IEC 24734 in A4 Size-Colour (in PPM)	Not Applicable
Minimum Speed per Minute as per ISO/IEC 24734 in A3 Size- Mono (in PPM)	Not Applicable
Minimum Speed per Minute as per ISO/IEC 24734 in A3 Size- Color (in PPM)	Not Applicable
Auto Duplexing Printing/Coping (2-sided Feature)	Yes
	Scanning
Maximum Scan Area (Platen/Flatbed Size)	A4 and Legal
A4 Scan Speed -Colour (Image Per Minute) @ 300 x 300 dpi	11 to 20
Scan To Functions	Email
A4 Scan Speed - Mono (Image Per Minute) @ 300 x 300 dpi	11 to 20
	COPYING
Reduction and Enlargement Feature	Yes

PAPER HANDLING			
Original Document Feeder Type (For Scanning and Copying)	Automalic Document Feeders (ADF)		
Feeder Capacity (Number of Sheets) (For Scanning and Copying)	31 10 40		
Number of Main Paper Tray			
Total Paper Tray Combined Capacity (Number) at 75 GSM	101 to 200		
Bypass Tray Facility	NO		
If Yes, Bypass Tray Capacity			
Connectivity			
Connectivity	USB Port, Ethernet Port, Wi-Fi		
Accessories Provided	USB Cable		
Accessories	Performance		
Minimum Yield of the Cartridge/Ink/Toner supplied with Machine as per IS/ISO/IEC: 19752/2017 for Black (Number of Prints)	700		
Minimum Yield of the Cartridge/Ink/Toner Supplied with Machine as per IS/ISO/IEC: 19798:2017 for Cyan, Yellow and Magenta Color (Number of Prints)	0		
Minimum Duty Cycle (Number of Prints/Month)	10,001 to 20,000		
POWER			
Power Supply Single Phase AC 220 - 240 V, 50 - 60 Hz			
Maximum Power Consumption (in Watt)	1300		
Environmental			
Minimum Operating Temperature (Degree C)	10		
Maximum Operating Temperature (Degree C)	30		
	A CONTRACTOR OF THE PROPERTY O		

Minimum Operating Humidity (%RH)	20
Maximum Operating Humidity (%RH)	80
	Dimension
Standard Machine Weight with Single Tray (in Kg)	-11
	Certification
BIS CRS Compliance	Yes as per IS 13252 (Part 1)
Maximum Number of Prints covered under Product warranty (Whichever is earlier)	30000
EPR Registration in respect of the manufacturer/authorised importer as per E waste rules as amended up to date	Yes
Agreed to Provide a copy of EPR Registration Certificate to the Buyer on Demand	Yes

and the second s		CONTRACTOR AND
	Screen Size	65
	Brightness (cd/m²)	350Nits or better
	Contrast Ratio	1200:1
	Dynamic Contrast Ratio	400,000:1
General Features	Response Time (ms)	8.0
	Display resolution (H x V, pixels)	3840 x 2160
	HDR (High Dynamic Range) compatiblity	Yes (HDR10, HLG)
	Aspect Ratio	16:9
Parket Service Land 1 1 miles	Portrait/Tilt Compatibility	Yes
	Dimming type	Frame Dimming
-	Display Device	LCD
	Panel Type	IPS
	Backlight type	Direct LED
Display features	Color gamut (NTSC)	69%
2.55.01	Operation time	16/7
-	Haze (%)	1 %
	Viewing Angle (Right/Left)	178 (89/89) degree
	Viewing Angle (Ng/II/LETT)  Viewing Angle (Up/Down)	178 (89/89) degree
rentiera de la Sacratalación de Sacratalación de Sacratalación de la Sacratalación de	viewing Angle (op) bowin	THE STATE OF THE S
	HDMI Signal	4096 x 2160p (24, 50, 60 Hz) 3840 x 2160p (24, 25, 30, 50 60 Hz), 1080p (30, 50, 60 Hz) 1080/24p, 1080i (50, 60 Hz) 720p (30, 50, 60 Hz),
		720/24p, 576p, 576i 480p,480i
A. dia Sansa	Speaker Position	Down Firing
Audio Specs	Audio Power Output	10W + 10W
	Pro settings	Yes (Simple Pro settings men
Professional	HDMI auto wake-up	Yes
features	Operating System	Android TV
	On-board Storage (GB)	16GB
I, 1. 0. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	RAM	3GB
	Wi-Fi Certified	Yes
Network Specs	Wireless LAN	Integrated
	USB playback codecs	MPEG1:MPEG1/MPEG2 PS:MPEG2/MPEG2 WEBM:AV1/AC4/ogg/AAC
Convenience	On Screen Clock	Yes
features	Sleep Timer	Yes
	On/Off Timer	yes Yes
	Chromecast built-in	Yes
	Apple AirPlay	Yes
	IP Control	Yes
Control Specs	RS-232C Control	Yes
	HDMI-CEC	Yes
August 19	HDCP	HDCP2.3 (for HDMI1/2/3)
等等。	Composite Video Input (s)	1 (Side, Mini jack)

Inputs and outputs	HDMI inputs total	
	Analog Audio Input (s) (Total)	3 (35ide)
	Digital Audio Output (s)	1 (Side Analog Conversion)
	USB ports	1 (Side)
Design features	Ethernet inputs	2 (Side)
6.40163	VESA® Hole Pitch (W x H)	1 (Side)
	Rated Power Consumption	300 x 300 mm
Environment Specs	Power Consumption (in Standby)	226W
	Dynamic Backlight Control	0.5 W
	Power Saving Mode / Back Light Off Mode	Yes
	Dimension of TV without Stand (W x H x D)	Yes
Measurements	Dimension of TV with Stand (W x H x D)	1462 x 842 x 71 mm
	Dimension of Package Carton (W x H x D)	1462 x 912 x 338 mm
	Weight of TV without Stand	1588 x 965 x 184 mm
Weight	Weight of TV with Stand	20.4 kg
	Weight of Package Carton (Gross)	21.3 kg
	Carton (Oross)	28 kg

0

Non

224,719 (Incl of all taxes)

\$20,999 - 10% 047

CHES MANAGES GRANCES

Bulk quantity Discounts!!

2. 1

4.5

6.7

select Country

0 0

0

0

CW Chapt Quantity 1

Discounted price per

phocolines of od

tomes)

#21 99014

£21,740 53 £23,500 93

123.34119

**BUY NOW** 

Home / IT Security / Computer Accessories / WEBCAM / Logitech Master Series Oraphite M

Share =

Q

@ BUR DIKKOUN

Mile Shape whether Schools

Logitech Master Series Graphite MX Brio 4K Uttra Hd Web Camera, 960-001548

VINE the Log tech Store



EMI storts at \$2202/month No Cost EMI available the options



View MAN

that says to \$4,000° on a main, order volum of \$8,488

O first-time dat users only TAC opply Yhen

Get up to \$3,500° on a min-order value of \$5,465 First-time 828 users only TAC opydy

FEATURES

Country of Origin

Package Contains

Switzerland

Connectativ

USB-C to USB-C Cable

Focus Type

Advanced Autolocus

MX 8no, Mount Clip

with Removable
Adapter, USB-C to C
3 0 Cable, User
Documentation

#### 6 21

Enter Pinconte

ADD TO CART



#### More Logitech WEBCAM proxiticis More WIBCAM products



Worranty as per



100% Original Products



payments



100% BUYER protection



100 Brands

## PREPAID

O Check Delivery Details

Availa ble

PART COD Unavailable

Avariable COD

Avadable

Return BI TURN period ?



# SPECIFICATIONS

#### DESCRIPTION

Country of Origin

**Switzerland** 

Connectativ

USB-C to USB-C Coble **Advanced Autolocus** 

Focus Type

MX Bno, Mount Clip with Removable Adapter, USB-C to C 3 0 Coble, User Documentation

Package Contains Microphone Type

**Dual Beamforming** 

WORD

SR mm

Zoom

4z Digital Zoom

Type of Product

Web Camera

POR NO

MODBOO 4KORPT

Height

Weight

137 g

Lens Type

interloce

Gloss

COO

U10 3 0

Resolution

Oraphite

ax/30 tps, 1060p/60 tps

image sensor

85 MP Sony STARVIS

Model No

960-001648