Office of the Principal Incharge cum-Secretary Mob.- 7978993751, 9937250508



DEGREE MAHAVIDYALAYA

ESTD - 1993

AT./P.O.-RADHO, DIST-MAYURBHANJ, ODISHA, PIN-757101

Read. No MBJ-4654-257 of 1994-95

E-mail: luipadegreemahavidyalayaradho@gmail.com

NAAC ACCREDITED

Web: www.luipadegreemahavidyalaya.in

Ref. No. XDMR 546 / 2024

Date. 25.9.302

LUIPA DEGREE MAHAVIDYALAYA
AT/PO- RADHO, DIST- MAYURBHANJ, ODISHA-757101
Notice no- LDMR/546/2024 date- 25.09.2024

TENDER CALL NOTICE

Sealed price tenders are invited from Registered firms/Registered supplier /Authorized Dealers for procurement of 1. Physics Modular Table , 2. Laboratory Wooden Stools, 3. Chemistry Lab Table, 4. Gas Connection to Chemistry Lab, 5. Computer Table, 6. Computer Desktop, 7. UPS, 8. Battery racks, 9. LAN, 10. Moving Chair, 11. Green Board, 12. AC, 13. Cup Board, 14. Experiment Table, 15. CC TV, 16. Water purifier with cooler, to this college out of IDG (World Bank Funding under OHEPEE, Govt. of Odisha). The tender call vide notice No LDMR / 546/2024, dated 25.09.2024 is available in the college website-www.luipadegreemahavidyalaya.in and college office on working days. The last date of receipts of tenders in the college office is 16.10.2024 by 04.00 PM and will be opened on 17.10.2024 at 01.00 PM.

Sd/-Principal Luipa Degree Mahavidyalaya Radho, Mayurbhanj

Principal I/c-cum-Secretary Luipa Degree Mahavidyalaya, Radho, Mayurbhan^r

LUIPA DEGREE MAHAVIDYALAYA

AT/PO- RADHO, DIST- MAYURBHANJ, ODISHA-757101
Notice No - LDMR/546/2024 Date - 25.09.2024

TENDER CALL NOTICE

Sealed price tenders are invited from Registered firms/Registered supplier /Authorized Dealers for procurement of (1) Physics Modular Table (2) Laboratory Wooden Stools (3) Chemistry Lab Table (4) Gas Connection to Chemistry Lab (5) Computer Table (6) Computer Desktop (7) UPS (8) Battery racks (9) LAN (10) Moving Chair (11) Green Board (12) AC (13) Cup Board (14) Experiment Table (15) CC TV (16) Water purifier with cooler, to this college out of IDG (World Bank Funding under OHEPEE, Govt. of Odisha). The tender call vide notice No LDMR / 546/2024, dated 25.09.2024 is available in the college website - www.luipadegreemahavidyalaya.in and college office on working days. The last date of receipts of tenders in the college office is 16.10.2024 by 04.00 PM and will be opened on Sd/- Principal

OFFICE OF THE PRINCIPAL, LUIPA DEGREE MAHAVIDYALAYA RADHO, MAYURBHANJ, ODISHA

Notice No-LDMR/546/2024

Date: 25.09.2024

Tender Notice

Sealed quotation are invited from reputed firms/suppliers/dealers with valid GST registration, PAN, IT return & Authorization Certificate from the manufacturer for supply of various items of Luipa Degree Mahavidyalaya, Radho, Mayurbhanj under IDG (World Bank Funding under OHEPEE, Govt. of Odisha so as to reach the undersigned on or before 16.10.2024, 4PM by Speed Post/Registered Post/ Courier Service. The authority reserves the right to accept or reject any or all quotations without assigning any reason thereof.

For details, please log on to www.luipadegreemahavidyalaya.in

Principal

Luipa Degree Mahavidyalaya Radho, Mayurbhanj

LUIPA DEGREE MAHAVIDYALAYA, RADHO, MAYURBHANJ

Tender Documents

For

Supply of (1) Physics Modular Table (2) Laboratory Wooden Stools (3) Chemistry Lab Table (4) Gas Connection to Chemistry Lab (5) Computer Table (6) Computer Desktop (7) UPS (8) Battery Rack (9) Lan (10) Moving Chair (11) Green Board (12) AC (13) Cup Board (14) Experiment Table (15) CC TV (16) Water purifier with cooler

At

Luipa Degree Mahavidyalaya, Radho, Mayurbjhanj

Tender Document No: LDMR/546/2024

1135/9/2004

Date: 25.09.2024

Issued by:

Principal,

Luipa Degree Mahavidyalaya Radho, Mayurbhanj, Odisha

SCHEDULE OF TENDER

Tender No & Date	LDMR/546/2024, Dt. 25.09.2024
Name of the tender issuer	Principal, Luipa Degree Mahavidyalaya, Radho, Mayurbhanj
Scope of work	Supply of (1) Physics Modular Table (2) Laboratory Wooden Stools (3) Chemistry Lab Table (4) Gas Connection to Chemistry Lab (5) Computer Table (6) Computer Desktop (7) UPS (8) Battery Rack (9) Lan (10) Moving Chair (11) Green Board (12) AC (13) Cup Board (14) Experiment Table (15) CC TV (16) Water purifier with cooler
Cost/fees of tender Documents	Rs. 1000/- in the form of DD drawn in favour of Principal I/C-Cum-Secretary Luipa Degree Mahavidyalaya at the time of submission of tender documents.
BID Security	2% of Order value in form of Cheque in favour of Principal I/C-Cum-Secretary Luipa Degree Mahavidyalaya at the time of issue of work order.
Date of issue of tender document	25.09.2024
Last date and time for submission of bids	26.10.2024, 04pm
Date and time of opening of technical bids	17.10.2024, 01pm
Date and time of financial bids opening	17.10.2024, 02pm
Address for communication	Principal, Luipa Degree Mahavidyalaya, Radho, Mayurbhanj, Odisha- 757101

CHECKLIST

The tenderers are hereby instructed to arrange and submit the following required documents as per the checklist

Sl. No	Name of Document	Yes/No	Page No
1	Bidder Details (Annexure-I)	103/110	r age No
2	Technical specification with Compliance Statement		
	(Annexure-II)		
3	Copy of Valid GSTIN Registration Certificate		
4	Copy of PAN		
5	The authorization certificate of OEM/ authorized		
	Manufacturer/ Distributor/ Dealership/Retail		
	Certificate		
6	Copy of Income Tax Return for last 03 Assessment years		
7	Self-declaration for not having been black listed		
	(Annexure-IV)		1
8	Guarantee/Warranty (Annexure-V)		
9	Letter of Willingness (Annexure-VI)		
10	Original Tenderer form Duly Signed & Stamp on each		
	Page		

	Signature	and	with	seal	of	tenderer
--	-----------	-----	------	------	----	----------

Date:

Note – If tender is not submitted in above manner by the tenderer, may be treated as non-responsive & liable to be rejected

NOTICE INVITING TENDER

The Principal, Luipa Degree Mahavidyalaya, Radho invites sealed tenders under "TWO BID SYSTEM" from reputed suppliers of good standards for selection of a supplier for the purpose of supplying different items to Principal Luipa Degree Mahavidyalaya, Radho, Mayurbhanj.

"TWO BIDS SYSTEM"

Tenderer should take due care to submit the tender in accordance with requirement in sealed covers. Bids received shall be evaluated as per the Criteria prescribed in the tender document.

The College will not entertain any modifications subsequent to opening of bids and bids not conforming to tender conditions shall be liable to be rejected. Therefore, bidders are advised to submit their bids complete in all respects as per requirement of tender document specifying their acceptance to all the clauses of Bid Evaluation Criteria, General terms and conditions and compliance to the Scope of Work requirement etc.

i) Technical Bid shall consist fall technical details along with commercial terms and conditions.

AND

ii) Financial Bid shall indicate item-wise price for the items mentioned in the technical bid.

The technical bid and the financial bid should be sealed by the bidder in separate covers duly superscribed as "Technical Bid" and "Financial Bid" respectively. Both these sealed covers should then be kept in a bigger cover which should also be sealed & duly super scribed as "Tender for supply of non-civil items to Principal Luipa Degree Mahavidyalaya." The Letter of Willingness & Check List.

ELIGIBILITY CRITERIA

The bidders who are desirous for above work require fulfilling the following conditions:

- A. Must be registered under GST Act
- B. Should not have been blacklisted by any State Govt. / Central Govt. / PSU India. A self-declaration is required as per **Annexure IV**.
- C. The Tenderer must be a Reputed Original Furniture manufacturer (OEM) / or the authorized Dealer of an OEM should provide all documents relating to their manufacturing/ sales capabilities. Must have Odisha Office for after sales & Service (If OEM/ Dealer outside of the State). Tenderer who has their own sales and service station in Odisha with GST Registration Number should only quote.
- D. Proof of Establishment of Firms / Manufacturing unit/ Dealership certificate from the OEM to be attached with **Technical Bid**.
- E. The bidder should supply the items as per technical specification mentioned in Annexure II. The list of items available with the tenderer. Original <u>Technical Catalog as Proof of Technical Specification should be enclosed</u> by Bidder; <u>merely Copy & Paste of Technical Specification will be out right Rejected.</u>
- F. The bidder should compile as per **Annexure II**, duly filled in, signed and complete in all respects. No alteration/modification in the format shall be permitted.
- G. A self-declaration that the tenderer has not been blacklisted by any State Government//Central Govt./PSU in India as per Annexure IV.
- H. If any Technical conflict arises while evaluating the Technical Bid, **Principal of Luipa Degree Mahavidyalaya** may ask for **Live Demonstration** of same product in front of the Purchase committee.

1. LIST OF ITEMS:

Supply of non-civil Items to **Luipa Degree Mahavidyalaya**, **Radho**. The items have been described in Annexure-I A bidder can submit financial bid for any number of items however care should be taken to submit for accounting units mentioned against each item.

2. BIDDER:

The term Bidder shall mean Company, Farm, Agency or the Individual to whom the Contract is awarded and shall include its/ his/ her/ its heirs and legal representative. Successful Bidder is referred to as "Party" in this tender document.

3. MODE OF PAYMENT

(i) Payment shall be made through NEFT/RTGS/Chq. Transfer only after satisfactory supply of the said items.

5. MODE OF SUBMISSION OF TENDER

- A. Tender should be submitted by tenderer in prescribed form.
- B. Tenderer should submit the ins offer in two parts as under:
 - (a) Technical Bid, consisting of technical details, drawing/catalogues/brochures, data sheets or models etc. (Annexure-II)
 - (b) Financial Bid on prescribed format attached with the tender document (Annexure-III)
- C. Proposals complete in all respect should be submitted to the **Luipa Degree Mahavidyalaya**, **Radho** through **Speed Post/ Registered Post/ Courier Service**only. The undersigned will not be responsible for any postal delay.
- D. All details asked for in the Annexure (s) should be properly filled in and each page of tender should be Stamped & Signed by the tenderer. Failure to attach Annexure required may in valid at the tender.
- E. Any tender which is not found in the proper form or is received late due to postal delay or otherwise shall in no case be accepted.
- F. The bidder is expected to examine all instructions, forms, terms and specifications in the bid document. Failure to furnish all information required as per the tender document or submission of bids not substantially responsive to the bidding document in every respect will be at the bidder's risk and may result in rejection of the bid.
- G. Offers should be typed and Price be quoted in words as well as in figures. In case of any discrepancy or variation in between figures and words is found, the offer in words shall be finally acceptable. Disagreement with this provision shall entail the bid as non-responsive and subsequently rejected.
- H. Tender documents are not transferable.

Incomplete tenders or tender received after due date and not accompanied

- I. In no case the bidding manufacturer or the bidder, otherwise can authorize any other agency whatsoever to supply the items to purchaser and receive payment in respect thereof.
- J. No amendment or supplementary attachment in the bidding document shall be allowed or entertained after the bid having been submitted to the purchaser. No representation there to at any stage shall be entertained.
- K. Principal, Luipa Degree Mahavidyalaya, Radho reserves the right to reject any or all offers or increase/decrease in quantities, call for acceptance the offer in full or in part, without assigning any reasons thereof.
- L. ISO certified Company should have established service team & network across the state.
- M. The principal is not bound to accept the tender quoting the least in the financial bid. The principal reserves the right to place order for a part of the quantity offered. The rates quoted by the bidder shall be valid for any such part.
- N. They should be registered for GST/CST/ST & Income Tax and should

enclose copies of relevant certificates.

O. Tenderer will have to produce all these original documents at any time as deemed by the Institute.

6. TERMS& CONDITIONS

The tenderer are requested to follow the below mentioned instructions

- A. Failure to comply with the conditions will result in forfeiting of the tender. Please cross out any mistakes and rewrite the same and countersign.
- B. Cost involved in submitting the bids, attending the tender opening meeting, arrangements for the demonstration/presentation etc. shall be borne by the bidder.
- C. No tenderer shall be allowed to withdraw the tender rates after opening of the tender. If any tenderer withdraws the rates, Rates should be offered unconditionally and if rates are submitted with any condition the tender shall be rejected.
- D. Tenderer shall have to quote item wise rates; consolidated rates shall not be considered and tender shall be liable to be rejected out rightly.
- E. It is a compulsory requirement that the items offered make and model, as quoted by the bidder must be supplied, installed and must be in good working condition.
- F. Tenderer should quote for the whole set of items required and should be willing to undertake responsibility of commissioning, warranties and after sales service. Part offer/offers not as per given specification will not be considered.
- G. Tenders should comply all the terms and conditions given in the tender document and be quoted for the specification given in the tender documents.
- H. Notwithstanding anything stated herein above, the principal reserves the right to assess the tenderer capability and capacity to perform the contract, should the circumstances warrant such assessment.
- I. In case any part of the equipment supplied being found to be non-functional the entire unit of equipment shall be taken as non-functional
- J. The principal reserves the right to change the quantity/ upgrade the criteria/ drop any item or part thereof/extension of delivery date at any time before placing the purchase/ work/ supply order.
- K. Right to Acceptance: The college authority is not bound itself to accept the lowest tender. It is the sole discretion of the principal to place order for better quality.
- > Signing of Tender: The individual signing the tender (or the documents in connection with it) must specify whether he/she is signing as:
- (i) A person signing the tender form or any part thereof, on behalf of another, shall be deemed to warrant that he/she has the authority to bind the other and if on inquiry it appears that the person so signing has no authority do to so, Principal may without prejudice to other Civil and Criminal remedies, cancel the contract and hold the signatory liable for all costs and damages.

7. PRICES

Farm will submit the prices (all inclusive) for each item to be quoted on prescribed

format attached with the tender document including charges for installation and commissioning with at least One year (12 months) Warranty from the date of satisfactory installation and commissioning of the equipment. The installation will include the mechanical, civil, electrical, furnishing work (if any) required at site.

The tenderer should take care that the rates and amounts are written in such a way its misinterpretations not possible.

The price ranking will be carried out as under:

- 1. The prices of optional items if not required as per technical specifications will be excluded for ranking purpose.
- 2. The ranking will be determined as under. Total Price (Cost) = Price quoted with all accessories as per technical specifications along with all the taxes and charges (if any). All these calculations must be clearly written by the bidder in price bid
- 3. Offer with any price variation clause will not be accepted. The rates quoted in ambiguous terms such as "Freight on actual basis", "taxes as applicable extra" or "packing & forwarding extra" will render the tender liable for rejection.
- 4. G.S.T. or Central sales tax (C.S.T.) or as applicable must be reflected in the financial bid and the tax amount is to be clearly indicated separately but included in the lump sum price.
- 5. Bids shall be accepted with price quoted invariably in Indian Currency.
- 6. No increase in price shall be allowed even if claimed on the grounds of any statutory increase or fresh in position of any other tax later.
- 7. Discount, if any, offered by the bidder shall not be considered unless specifically indicated in the price schedule and shall be taken into account for consideration only if it is quoted clearly with net price taking all such factors like discount, free supply etc. to arrive at net price.
- 8. Prices: The tenderer are required to quote as per "Annexure" (Financial Bid) in a Separate Envelope. The rates quoted shall include the cost of Material, labour, Transport & Packaging etc., as required for the completion of work.

8. VALIDITY OF BID:

The bid will remain valid for 1months from the date of opening of financial bid.

9. TESTAND INSPECTIONS

Upon completion of the installation work, the tenderer/supplier shall facilitate inspection of the equipment by the principal or his authorized representative, to inspect & test the equipment and to confirm that they are installed in conformity to the required specifications and are serving the desired purpose. Any defect or failure to serve the desired purpose, discovered during the inspection will be promptly rectified and made good to the satisfaction of the principal or his authorized representatives.

10. GUARANTEE/WARRANTY(Annexure-V)

The tenderer shall furnish along with their quotations the under noted Guarantee/Warranty:

A. The Guarantee/ Warranty shall be for a period of at least 12 months from the

date of satisfactory installation and handing over the equipment and of works conducted there with covered under the contract in working order. During the guarantee period the replacement of any part(s) of the equipment or rectification of defect of works will be free of cost. If the downtime exceeds seven consecutive days at any one time, the guarantee period will be extended beyond aforesaid 12 months by duration equal to the total down time during the period of warranty.

- B. The tenderer should produce written guarantee stating that the equipment being offered is latest model and that spares for the equipments will be available for a period of at least three years after its supply to the purchaser.
- C. The tenderer whose tender is accepted shall furnish the warranty (Where Ever Applicable) in **Annexure-V** Along with Bill.
- D. The manufacturer and the tenderer should guarantee the entire unit against defects of manufacture, work man ship and poor quality of components.

The tenderer shall be are all cost of such replacement, including freight, if any, of such replace or repaired equipment and/ or other articles but without being entailed to any extra payment on that or any other account. All documents required for replacement in part/parts will be made available by the indenter

Bidder Details

- 1. Name & Postal address of Bidder:
- 2. E-mail:

Name & address of Owners/ Partners/Directors:

Nature of Farm/Agency/Company (Sole/Partnership/otherwise):

- 3. Copy of GST Registration Certificate:
- 4. Copy of PAN Card:
- 5. Income Tax Return for last 03 Assessment years:
- 6. Undertaking certifying at the Farm is not black listed in Annexure-IV:
- 7. Each page of tender form duly signed in:
- 8. Dealership Certificate (Latest):
- 9. Whether agreed to a bid by all the terms &conditions of this tender:

Signature of the Proprietor/Authorized Signatory

(Name & Signature of the tenderer with seal)

Place:

Date:

FINANCIALBID

To						
The Pri	-					
•	egree Mahavidyalaya					
Radho,	Mayurbhanj, Odisha					
Ref. Ten	ıder No:	Dated				
Sir,						
I/We		eby offer to supply the f	following	g non-civil items	at the price	s and within
	od indicated below.	M-1 (D 1	0	m1-1-	CCTC	Tatal Daise
SL	Name of the Items	Make/Brand	Qty	Taxable	GST@	Total Price
No				price Per unit	%	Including GST
1				unit	-	usi
2						
3	-					
4						
5						
6						
7						
8						
9						
10						
offer is t bid	ewith certified that I/We ha to supply items strictly in ac No change in the Performa is	ccordance with the red	neral Te quireme	erms & Conditio ents and the teri	ns of the b ns mention	id and our ned in the
Signatu	ire & Seal of the Supplier					
Place:						
Date:						

SELF DECLARATION CUM UNDERTAKING

It is certified that my Farm/ Agency/ Company has never been black listed
by any of the Departments/ Autonomous Institutions/ Universities/ Public
Sector Undertakings of the Government of India or Government of Odisha or
any other State Government or reputed educational institutions and no
criminal case is pending against the said Farm/Agency/Company as on date

Seal & Signature of the Bidder

Name of the Authorized Signatory:

Name of the Farm:

Seal:

GUARANTEE/WARRANTY

I/We hereby declare that the Furniture and other articles supplied to the purchaser under this contract shall be of the best quality and workmanship and are strictly in accordance with the specification and particulars contained/mentioned in the clause hereof and I/we hereby guarantee that the said furniture and other articles confirm to the description and quality a foresaid.

The purchaser will be entitled to reject the said furniture and other articles as maybe discovered not to confirm to the said description and quality. On such rejection the furniture and other articles will be returned in own risk and all the provision herein contained relating to rejection there of shall apply. I/we shall, if called upon to do so, replace within a period of 14 days or such further period that be extended from time to time by the purchase at his discretion, and an application made thereof by us, the furniture and other articles as are rejected by the purchaser and in such an event the above mentioned Warranty shall apply to the furniture and/or other articles replaced from the date of replacement thereof, otherwise the tenderer shall pay to the purchaser such damages as may arise by reason of therein contained without prejudice to any other right of the purchaser in that behalf.

The equipment being offered is latest model and that spares for the furniture's will be available for aperiod of at least five years after its supply to the purchaser. The Guarantee/ Warranty shall be for a period of at least 12 months from the date of satisfactory installation and handing over the furniture and of works conducted there with covered under the contract in working order. During the guarantee period the replacement of any part(s) of the furniture or rectification of defect due to manufacturing of works will be free of cost. If the downtime exceeds seven consecutive days at any one time, the guarantee period will be extended beyond fore said 12months by duration equal to the total down time during the period of warranty.

Signature with seal of the tenderer

Place:

Date:

LETTEROFWILLINGNESS

То
The principal,
Luipa Degree Mahavidyalaya
Radho, Mayurbhani, Odisha

o, Mayurbhanj, Odisha
Sub: Submission of willingness certificate to supply/install (non-civil items) at your college premise.
Sir,
I am to inform you that my farm (
Yours faithfully,
Authorized Signatory of the farm with Seal
Date:
Place:

LIST OF ITEMS

SI	Experiment Name & Technical Specification	Vendor	Deviation if
		Specification	any
SI No. 01	Physics Modular Lab. Table Dimension: 2400mm (L) x 1200mm (W) x 900 mm (H) Granite Top: The Table top must have (a) 20mm (± 1mm) finely polished thick black color Granite, Bull nose/Chamfer moulding & Groove at the bottom (b) The Granite top must be designed to with stand a load of 200-300kg per square meter Table Construction (under bench modules) as per specified drawing (a) Modules must have 20 SWG pre-coated electrogalvanised sheet (TATA/Jindal/SAIL or any steel of good quality) to with stand a load of 200-300kg per sqm with 70-80-micron thickness EPOXY PU/Poly Carbonate/Polyester Powder Coating of good international quality. (b) Must have top lockable drawers (4 nos-150mm H, bottom cup boards (4nos) with horizontal removable inner partition & four lockable doors (two shutters each) with self-close hydraulic hinges. (c) Must have power coated Stainless Steel handles for drawers & cupboards (d) Provision for floor levellers (e) Must have three electrical connections with Switch and Sockets 2nos each raceway in both side of the table (Anchor/Roma/Any other make of good quality) (f) The base of modules must have skirting panels (g) The table must be designed for aesthetic look Hardware Fittings (a) Drawer Runner: Godrej / EBCO Make/ or any other make of good quality (b) Hinges: Godrej / EBCO Make/ or any other make of good quality (c) Handle: Godrej / EBCO Make/ or any other make of good quality (c) Handle: Godrej / EBCO Make/ or any other make of good quality	Specification	
	(d) Lock: Godrej / EBCO Make/ or any other make of good quality Colour of the module: Ivory & Dark Blue		
02	Laboratory Wooden Stools		
02	> Material: Wooden		
	Size:1.5ft(L) X 1ft(W) X 2ft(H)		
03	Chemistry Lab. Table Dimension: 2400mm (L) x 1200mm (W) x 900 mm (H) Granite Top: The Table top must have		
	(a) 20mm (± 1mm) finely polished thick black color		
	Granite, Bull nose/Chamfer moulding & Groove at		

	the bottom		
	(b) The Granite top must be designed to with stand		
	a load of 200-300kg per square meter		
	> Table Construction (under bench modules) as per		
1	specified drawing		
	(a) Modules must have 20 SWG pre-coated electro-		
	galvanised sheet (TATA/Jindal/SAIL or any steel of		
	good quality) to with stand a load of 200-300kg per		
	sqm with 70-80-micron thickness EPOXY PU/Poly		
	Carbonate/Polyester Powder Coating of good		
	international quality.		
· ·	(b) Must have top lockable drawers (4 nos-150mm		
	H, bottom cup boards (4nos) with horizontal		
	removable inner partition & four lockable doors		
- 1	(two shutters each) with self-close hydraulic hinges.		
	(c) Must have power coated Stainless Steel handles		
	for drawers & cupboards		
	(d) Provision for floor levellers		
	(e) The base of modules must have skirting panels	v v	
	(f)Provision for two reagent racks (800mm L x		
	250mm B x 600mm H) with one good locking poly		
	propylene peg board facility with 24 pegs		
	(g) Provision for one poly propylene sink (560mm L		
	x 350mm B x 250mm H), It must have (1) high		
	durability and high thickness, (2) Inert towards all		
	chemicals/Acids/Alkalis/ U.V Radiation & Oxidising		
	agents		
	(h) 3-way tap must be provided with sink		
	(i) The table must be designed for aesthetic look		
	➤ Hardware Fittings		
	(a) Drawer Runner: Godrej / EBCO Make/ or any		
	other make of good quality		
	(b) Hinges: Godrej / EBCO Make/ or any other make		• 1
	of good quality		
	(c) Handle: Godrej / EBCO Make/ or any other make		
	of good quality		
	(d) Lock: Godrej / EBCO Make/ or any other make		
	of good quality		
	Colour of the module: Ivory & Dark Blue		
	N.B: No Electrical in Chemistry Lab. Table		
04	Gas Connection to Chemistry Lab		
	> 16nos of 2way heavy duty brass Gas Connector,		
	32nos Bunsen Burner, Gas Pipe & fitting charge etc.		550
	for 6 table.		400
05	Computer Table		13
	> 19mm waterproof ply with mica cover including		
	keyboard draw and L-type CPU support		
	Every student partition Size: 2.5'		
	Computer table Size: 2ft (W) x 2.5ft(H)	· ·	
06	COMPUTER DESKTOP	·	
06	> Processor- Core i5, 12th generation, Intel frequency	,	
	3.30GHz to 4.30GHz, RAM-8GB DDR4, SSD-512GB,		
	OS: Windows 11, Monitor: 21inch, Intel Graphic		
	(Inbuild), MS Office 2021 (Inbuild), Wired Mouse &		
i .	Key Board & 3Years onsite warranty & 3Years Anti-	. 1	

	Virus.			-
07	UPS	COOLULA CALLACTURE 2 - Lacarda cont		
	One num	ber of 20KVA online UPS 3 phase in out,		
	NAME AND ADDRESS OF TAXABLE PARTY.	H 30 numbers of Battery		
08	Battery racks	ADM OF AM DO		
		e: 12V 65AH 30 numbers of Battery		
	Material:	Iron/GI		
09	LAN			
	> LAN & No	etworking 32 Computer		
	Supply ar	nd fixing CAT6 cable with 10 box and		
		cashing with required patch panel and		
		switch with 12U rack		
10	Moving Chair			
		c moving chair with adjustable Seat height		
11	Green Board			
		ard Size: 10'x4'		
12	AC			
		on 5-star rating		
13	Cup Board in Ch			
		op: The Table top must have		
		m (± 1mm) finely polished thick black		
		Granite, Bull nose/Chamfer moulding &		
		t the bottom		
		Granite top must be designed to withstand		
		200-300kg per square meter		
		ench Modules		
		om Cup Board (750mm x 15Nos) with al Removable inner partition.		
		able Doors (Two Shutters each) with self-		
		raulic hinges		
		sion for floor levellers		
		der coated Stainless Steel handles for		
		& Cup Boards		
		ase of modules must have skirting panels		l l
		modules must be designed for aesthetic		
	look	8		
	> Hardwar	e Fittings		
	(a) Draw	er Runner: Godrej / EBCO Make/ or any		
		ke of good quality		
		es: Godrej / EBCO Make/ or any other make		
	of good q			
	. ,	e: Godrej / EBCO Make/ or any other make		
	of good q			
	. ,	Godrej / EBCO Make/ or any other make		
	of good q			
		the module: Ivory & Dark Blue		
		must have 20 SWG pre-coated electro-		
		ed sheet (TATA/Jindal/SAIL or any steel of		
		lity) to withstand a load of 200-300kg per 170-80-micron thickness EPOXY PU/Poly		
		e/Polyester Powder Coating of good		1
		onal quality.		
		TA/Jindal/Equivalent		
		owder Thickness: 80 microns		
		owder Material: Jotun Powder		
	, LIUNITI	orraci materiali jotali i orraci	1	

> EPOXY Powder Company name: Jotun BOTANY & ZOOLOGY LAB EXPERIMENT TABLE > Dimension: 2400mm (L) x 1200mm (W) x 850 mm (H) > Granite Top: The Table top must have (a) 20mm (± 1mm) finely polished thick black colour Granite, Bull nose/Chamfer moulding & Groove at the bottom (b) The Granite top must be designed to withstand a load of 200-300kg per square meter > Table Construction (under bench modules) as per specified drawing (a) Modules must have 20 SWG pre-coated electrogalvanised sheet (TATA/Jindal/SAIL or any steel of good quality) to withstand a load of 200-300kg per sqm with 70-80-micron thickness EPOXY PU/Poly Carbonate/Polyester Powder Coating of good international quality. (b) Must have top lockable drawers (4 nos-150mm H, bottom cup boards (4 nos) with horizontal removable inner partition & four lockable doors (two shutters each) with self-close hydraulic hinges. (c) Must have power coated Stainless Steel handles for drawers & cupboards (d) Provision for two reagent racks (800mm L x 300mm B x 600mm H) (e) Provision for floor levellers (f) The base of modules must have skirting panels (g) The table must be designed for aesthetic look > Hardware Fittings (a) Drawer Runner: Godrej / EBCO Make/ or any
 Dimension: 2400mm (L) x 1200mm (W) x 850 mm (H) Granite Top: The Table top must have (a) 20mm (± 1mm) finely polished thick black colour Granite, Bull nose/Chamfer moulding & Groove at the bottom (b) The Granite top must be designed to withstand a load of 200-300kg per square meter Table Construction (under bench modules) as per specified drawing (a) Modules must have 20 SWG pre-coated electrogalvanised sheet (TATA/Jindal/SAIL or any steel of good quality) to withstand a load of 200-300kg per sqm with 70-80-micron thickness EPOXY PU/Poly Carbonate/Polyester Powder Coating of good international quality. (b) Must have top lockable drawers (4 nos-150mm H, bottom cup boards (4 nos) with horizontal removable inner partition & four lockable doors (two shutters each) with self-close hydraulic hinges. (c) Must have power coated Stainless Steel handles for drawers & cupboards (d) Provision for two reagent racks (800mm L x 300mm B x 600mm H) (e) Provision for floor levellers (f) The base of modules must have skirting panels (g) The table must be designed for aesthetic look Hardware Fittings (a) Drawer Runner: Godrej / EBCO Make/ or any
(H) Granite Top: The Table top must have (a) 20mm (± 1mm) finely polished thick black colour Granite, Bull nose/Chamfer moulding & Groove at the bottom (b) The Granite top must be designed to withstand a load of 200-300kg per square meter Table Construction (under bench modules) as per specified drawing (a) Modules must have 20 SWG pre-coated electrogalvanised sheet (TATA/Jindal/SAIL or any steel of good quality) to withstand a load of 200-300kg per sqm with 70-80-micron thickness EPOXY PU/Poly Carbonate/Polyester Powder Coating of good international quality. (b) Must have top lockable drawers (4 nos-150mm H, bottom cup boards (4 nos) with horizontal removable inner partition & four lockable doors (two shutters each) with self-close hydraulic hinges. (c) Must have power coated Stainless Steel handles for drawers & cupboards (d) Provision for two reagent racks (800mm L x 300mm B x 600mm H) (e) Provision for floor levellers (f) The base of modules must have skirting panels (g) The table must be designed for aesthetic look Hardware Fittings (a) Drawer Runner: Godrej / EBCO Make/ or any
 Granite Top: The Table top must have (a) 20mm (± 1mm) finely polished thick black colour Granite, Bull nose/Chamfer moulding & Groove at the bottom (b) The Granite top must be designed to withstand a load of 200-300kg per square meter Table Construction (under bench modules) as per specified drawing (a) Modules must have 20 SWG pre-coated electrogalvanised sheet (TATA/Jindal/SAIL or any steel of good quality) to withstand a load of 200-300kg per sqm with 70-80-micron thickness EPOXY PU/Poly Carbonate/Polyester Powder Coating of good international quality. (b) Must have top lockable drawers (4 nos-150mm H, bottom cup boards (4 nos) with horizontal removable inner partition & four lockable doors (two shutters each) with self-close hydraulic hinges. (c) Must have power coated Stainless Steel handles for drawers & cupboards (d) Provision for two reagent racks (800mm L x 300mm B x 600mm H)
(a) 20mm (± 1mm) finely polished thick black colour Granite, Bull nose/Chamfer moulding & Groove at the bottom (b) The Granite top must be designed to withstand a load of 200-300kg per square meter ▶ Table Construction (under bench modules) as per specified drawing (a) Modules must have 20 SWG pre-coated electrogalvanised sheet (TATA/Jindal/SAIL or any steel of good quality) to withstand a load of 200-300kg per sqm with 70-80-micron thickness EPOXY PU/Poly Carbonate/Polyester Powder Coating of good international quality. (b) Must have top lockable drawers (4 nos-150mm H, bottom cup boards (4 nos) with horizontal removable inner partition & four lockable doors (two shutters each) with self-close hydraulic hinges. (c) Must have power coated Stainless Steel handles for drawers & cupboards (d) Provision for two reagent racks (800mm L x 300mm B x 600mm H) (e) Provision for floor levellers (f) The base of modules must have skirting panels (g) The table must be designed for aesthetic look ▶ Hardware Fittings (a) Drawer Runner: Godrej / EBCO Make/ or any
(a) 20mm (± 1mm) finely polished thick black colour Granite, Bull nose/Chamfer moulding & Groove at the bottom (b) The Granite top must be designed to withstand a load of 200-300kg per square meter ▶ Table Construction (under bench modules) as per specified drawing (a) Modules must have 20 SWG pre-coated electrogalvanised sheet (TATA/Jindal/SAIL or any steel of good quality) to withstand a load of 200-300kg per sqm with 70-80-micron thickness EPOXY PU/Poly Carbonate/Polyester Powder Coating of good international quality. (b) Must have top lockable drawers (4 nos-150mm H, bottom cup boards (4 nos) with horizontal removable inner partition & four lockable doors (two shutters each) with self-close hydraulic hinges. (c) Must have power coated Stainless Steel handles for drawers & cupboards (d) Provision for two reagent racks (800mm L x 300mm B x 600mm H) (e) Provision for floor levellers (f) The base of modules must have skirting panels (g) The table must be designed for aesthetic look ▶ Hardware Fittings (a) Drawer Runner: Godrej / EBCO Make/ or any
colour Granite, Bull nose/Chamfer moulding & Groove at the bottom (b) The Granite top must be designed to withstand a load of 200-300kg per square meter Table Construction (under bench modules) as per specified drawing (a) Modules must have 20 SWG pre-coated electrogalvanised sheet (TATA/Jindal/SAIL or any steel of good quality) to withstand a load of 200-300kg per sqm with 70-80-micron thickness EPOXY PU/Poly Carbonate/Polyester Powder Coating of good international quality. (b) Must have top lockable drawers (4 nos-150mm H, bottom cup boards (4 nos) with horizontal removable inner partition & four lockable doors (two shutters each) with self-close hydraulic hinges. (c) Must have power coated Stainless Steel handles for drawers & cupboards (d) Provision for two reagent racks (800mm L x 300mm B x 600mm H) (e) Provision for floor levellers (f) The base of modules must have skirting panels (g) The table must be designed for aesthetic look Hardware Fittings (a) Drawer Runner: Godrej / EBCO Make/ or any
Groove at the bottom (b) The Granite top must be designed to withstand a load of 200-300kg per square meter Table Construction (under bench modules) as per specified drawing (a) Modules must have 20 SWG pre-coated electrogalvanised sheet (TATA/Jindal/SAIL or any steel of good quality) to withstand a load of 200-300kg per sqm with 70-80-micron thickness EPOXY PU/Poly Carbonate/Polyester Powder Coating of good international quality. (b) Must have top lockable drawers (4 nos-150mm H, bottom cup boards (4 nos) with horizontal removable inner partition & four lockable doors (two shutters each) with self-close hydraulic hinges. (c) Must have power coated Stainless Steel handles for drawers & cupboards (d) Provision for two reagent racks (800mm L x 300mm B x 600mm H) (e) Provision for floor levellers (f) The base of modules must have skirting panels (g) The table must be designed for aesthetic look Hardware Fittings (a) Drawer Runner: Godrei / EBCO Make/ or any
(b) The Granite top must be designed to withstand a load of 200-300kg per square meter ➤ Table Construction (under bench modules) as per specified drawing (a) Modules must have 20 SWG pre-coated electrogalvanised sheet (TATA/Jindal/SAIL or any steel of good quality) to withstand a load of 200-300kg per sqm with 70-80-micron thickness EPOXY PU/Poly Carbonate/Polyester Powder Coating of good international quality. (b) Must have top lockable drawers (4 nos-150mm H, bottom cup boards (4 nos) with horizontal removable inner partition & four lockable doors (two shutters each) with self-close hydraulic hinges. (c) Must have power coated Stainless Steel handles for drawers & cupboards (d) Provision for two reagent racks (800mm L x 300mm B x 600mm H) (e) Provision for floor levellers (f) The base of modules must have skirting panels (g) The table must be designed for aesthetic look ➤ Hardware Fittings (a) Drawer Runner: Godrej / EBCO Make/ or any
a load of 200-300kg per square meter Table Construction (under bench modules) as per specified drawing (a) Modules must have 20 SWG pre-coated electrogalvanised sheet (TATA/Jindal/SAIL or any steel of good quality) to withstand a load of 200-300kg per sqm with 70-80-micron thickness EPOXY PU/Poly Carbonate/Polyester Powder Coating of good international quality. (b) Must have top lockable drawers (4 nos-150mm H, bottom cup boards (4 nos) with horizontal removable inner partition & four lockable doors (two shutters each) with self-close hydraulic hinges. (c) Must have power coated Stainless Steel handles for drawers & cupboards (d) Provision for two reagent racks (800mm L x 300mm B x 600mm H) (e) Provision for floor levellers (f) The base of modules must have skirting panels (g) The table must be designed for aesthetic look Hardware Fittings (a) Drawer Runner: Godrej / EBCO Make/ or any
Table Construction (under bench modules) as per specified drawing (a) Modules must have 20 SWG pre-coated electrogalvanised sheet (TATA/Jindal/SAIL or any steel of good quality) to withstand a load of 200-300kg per sqm with 70-80-micron thickness EPOXY PU/Poly Carbonate/Polyester Powder Coating of good international quality. (b) Must have top lockable drawers (4 nos-150mm H, bottom cup boards (4 nos) with horizontal removable inner partition & four lockable doors (two shutters each) with self-close hydraulic hinges. (c) Must have power coated Stainless Steel handles for drawers & cupboards (d) Provision for two reagent racks (800mm L x 300mm B x 600mm H) (e) Provision for floor levellers (f) The base of modules must have skirting panels (g) The table must be designed for aesthetic look Hardware Fittings (a) Drawer Runner: Godrej / EBCO Make/ or any
specified drawing (a) Modules must have 20 SWG pre-coated electrogalvanised sheet (TATA/Jindal/SAIL or any steel of good quality) to withstand a load of 200-300kg per sqm with 70-80-micron thickness EPOXY PU/Poly Carbonate/Polyester Powder Coating of good international quality. (b) Must have top lockable drawers (4 nos-150mm H, bottom cup boards (4 nos) with horizontal removable inner partition & four lockable doors (two shutters each) with self-close hydraulic hinges. (c) Must have power coated Stainless Steel handles for drawers & cupboards (d) Provision for two reagent racks (800mm L x 300mm B x 600mm H) (e) Provision for floor levellers (f) The base of modules must have skirting panels (g) The table must be designed for aesthetic look Hardware Fittings (a) Drawer Runner: Godrej / EBCO Make/ or any
(a) Modules must have 20 SWG pre-coated electrogalvanised sheet (TATA/Jindal/SAIL or any steel of good quality) to withstand a load of 200-300kg per sqm with 70-80-micron thickness EPOXY PU/Poly Carbonate/Polyester Powder Coating of good international quality. (b) Must have top lockable drawers (4 nos-150mm H, bottom cup boards (4 nos) with horizontal removable inner partition & four lockable doors (two shutters each) with self-close hydraulic hinges. (c) Must have power coated Stainless Steel handles for drawers & cupboards (d) Provision for two reagent racks (800mm L x 300mm B x 600mm H) (e) Provision for floor levellers (f) The base of modules must have skirting panels (g) The table must be designed for aesthetic look Hardware Fittings (a) Drawer Runner: Godrej / EBCO Make/ or any
galvanised sheet (TATA/Jindal/SAIL or any steel of good quality) to withstand a load of 200-300kg per sqm with 70-80-micron thickness EPOXY PU/Poly Carbonate/Polyester Powder Coating of good international quality. (b) Must have top lockable drawers (4 nos-150mm H, bottom cup boards (4 nos) with horizontal removable inner partition & four lockable doors (two shutters each) with self-close hydraulic hinges. (c) Must have power coated Stainless Steel handles for drawers & cupboards (d) Provision for two reagent racks (800mm L x 300mm B x 600mm H) (e) Provision for floor levellers (f) The base of modules must have skirting panels (g) The table must be designed for aesthetic look Hardware Fittings (a) Drawer Runner: Godrej / EBCO Make/ or any
galvanised sheet (TATA/Jindal/SAIL or any steel of good quality) to withstand a load of 200-300kg per sqm with 70-80-micron thickness EPOXY PU/Poly Carbonate/Polyester Powder Coating of good international quality. (b) Must have top lockable drawers (4 nos-150mm H, bottom cup boards (4 nos) with horizontal removable inner partition & four lockable doors (two shutters each) with self-close hydraulic hinges. (c) Must have power coated Stainless Steel handles for drawers & cupboards (d) Provision for two reagent racks (800mm L x 300mm B x 600mm H) (e) Provision for floor levellers (f) The base of modules must have skirting panels (g) The table must be designed for aesthetic look Hardware Fittings (a) Drawer Runner: Godrej / EBCO Make/ or any
good quality) to withstand a load of 200-300kg per sqm with 70-80-micron thickness EPOXY PU/Poly Carbonate/Polyester Powder Coating of good international quality. (b) Must have top lockable drawers (4 nos-150mm H, bottom cup boards (4 nos) with horizontal removable inner partition & four lockable doors (two shutters each) with self-close hydraulic hinges. (c) Must have power coated Stainless Steel handles for drawers & cupboards (d) Provision for two reagent racks (800mm L x 300mm B x 600mm H) (e) Provision for floor levellers (f) The base of modules must have skirting panels (g) The table must be designed for aesthetic look Hardware Fittings (a) Drawer Runner: Godrej / EBCO Make/ or any
sqm with 70-80-micron thickness EPOXY PU/Poly Carbonate/Polyester Powder Coating of good international quality. (b) Must have top lockable drawers (4 nos-150mm H, bottom cup boards (4 nos) with horizontal removable inner partition & four lockable doors (two shutters each) with self-close hydraulic hinges. (c) Must have power coated Stainless Steel handles for drawers & cupboards (d) Provision for two reagent racks (800mm L x 300mm B x 600mm H) (e) Provision for floor levellers (f) The base of modules must have skirting panels (g) The table must be designed for aesthetic look Hardware Fittings (a) Drawer Runner: Godrej / EBCO Make/ or any
Carbonate/Polyester Powder Coating of good international quality. (b) Must have top lockable drawers (4 nos-150mm H, bottom cup boards (4 nos) with horizontal removable inner partition & four lockable doors (two shutters each) with self-close hydraulic hinges. (c) Must have power coated Stainless Steel handles for drawers & cupboards (d) Provision for two reagent racks (800mm L x 300mm B x 600mm H) (e) Provision for floor levellers (f) The base of modules must have skirting panels (g) The table must be designed for aesthetic look Hardware Fittings (a) Drawer Runner: Godrei / EBCO Make/ or any
international quality. (b) Must have top lockable drawers (4 nos-150mm H, bottom cup boards (4 nos) with horizontal removable inner partition & four lockable doors (two shutters each) with self-close hydraulic hinges. (c) Must have power coated Stainless Steel handles for drawers & cupboards (d) Provision for two reagent racks (800mm L x 300mm B x 600mm H) (e) Provision for floor levellers (f) The base of modules must have skirting panels (g) The table must be designed for aesthetic look Hardware Fittings (a) Drawer Runner: Godrej / EBCO Make/ or any
(b) Must have top lockable drawers (4 nos-150mm H, bottom cup boards (4 nos) with horizontal removable inner partition & four lockable doors (two shutters each) with self-close hydraulic hinges. (c) Must have power coated Stainless Steel handles for drawers & cupboards (d) Provision for two reagent racks (800mm L x 300mm B x 600mm H) (e) Provision for floor levellers (f) The base of modules must have skirting panels (g) The table must be designed for aesthetic look Hardware Fittings (a) Drawer Runner: Godrej / EBCO Make/ or any
H, bottom cup boards (4 nos) with horizontal removable inner partition & four lockable doors (two shutters each) with self-close hydraulic hinges. (c) Must have power coated Stainless Steel handles for drawers & cupboards (d) Provision for two reagent racks (800mm L x 300mm B x 600mm H) (e) Provision for floor levellers (f) The base of modules must have skirting panels (g) The table must be designed for aesthetic look Hardware Fittings (a) Drawer Runner: Godrei / EBCO Make/ or any
removable inner partition & four lockable doors (two shutters each) with self-close hydraulic hinges. (c) Must have power coated Stainless Steel handles for drawers & cupboards (d) Provision for two reagent racks (800mm L x 300mm B x 600mm H) (e) Provision for floor levellers (f) The base of modules must have skirting panels (g) The table must be designed for aesthetic look Hardware Fittings (a) Drawer Runner: Godrei / EBCO Make/ or any
(two shutters each) with self-close hydraulic hinges. (c) Must have power coated Stainless Steel handles for drawers & cupboards (d) Provision for two reagent racks (800mm L x 300mm B x 600mm H) (e) Provision for floor levellers (f) The base of modules must have skirting panels (g) The table must be designed for aesthetic look Hardware Fittings (a) Drawer Runner: Godrej / EBCO Make/ or any
(c) Must have power coated Stainless Steel handles for drawers & cupboards (d) Provision for two reagent racks (800mm L x 300mm B x 600mm H) (e) Provision for floor levellers (f) The base of modules must have skirting panels (g) The table must be designed for aesthetic look Hardware Fittings (a) Drawer Runner: Godrej / EBCO Make/ or any
for drawers & cupboards (d) Provision for two reagent racks (800mm L x 300mm B x 600mm H) (e) Provision for floor levellers (f) The base of modules must have skirting panels (g) The table must be designed for aesthetic look Hardware Fittings (a) Drawer Runner: Godrej / EBCO Make/ or any
(d) Provision for two reagent racks (800mm L x 300mm B x 600mm H) (e) Provision for floor levellers (f) The base of modules must have skirting panels (g) The table must be designed for aesthetic look Hardware Fittings (a) Drawer Runner: Godrej / EBCO Make/ or any
(e) Provision for floor levellers (f) The base of modules must have skirting panels (g) The table must be designed for aesthetic look Hardware Fittings (a) Drawer Runner: Godrei / EBCO Make/ or any
(e) Provision for floor levellers (f) The base of modules must have skirting panels (g) The table must be designed for aesthetic look Hardware Fittings (a) Drawer Runner: Godrei / EBCO Make/ or any
 (f) The base of modules must have skirting panels (g) The table must be designed for aesthetic look → Hardware Fittings (a) Drawer Runner: Godrei / EBCO Make/ or any
 (f) The base of modules must have skirting panels (g) The table must be designed for aesthetic look → Hardware Fittings (a) Drawer Runner: Godrei / EBCO Make/ or any
(g) The table must be designed for aesthetic look Hardware Fittings (a) Drawer Runner: Godrej / EBCO Make/ or any
(a) Drawer Runner: Godrej / EBCO Make/ or any
(a) Drawer Runner: Godrej / EBCO Make/ or any
(a) Francis Rumer, double / EBCO Make/ or any
Other make of good quality
other make of good quality
(b) Hinges: Godrej / EBCO Make/ or any other make of good quality
(c) Handle: Godrej / EBCO Make/ or any other make
of good quality
(d) Lock: Godrej / EBCO Make/ or any other make
of good quality
Colour of the module: Ivory & Dark Blue
15 CCTV
Monte 17, Camera-30 With 2MP, DVR or NVR
storage- 2TB- 2nos with 16 ports, Cable- 300mtr
with accessories
16 Water Purifier with Cooler
Number of Taps: 2, Storage Capacity: 40L
Taps: 2, Storage Capacity: 40L